


t min:sec	θ °C ON-OFF	θ °C P	t min:sec	θ °C ON-OFF	θ °C P	t min:sec	θ °C ON-OFF	θ °C P
0:00			5:30			13:00		
0:10			6:00			13:30		
0:20			6:30			14:00		
0:30			7:00			14:30		
0:40			7:30			15:00		
0:50			8:00			15:30		
1:00			8:30			16:00		
1:30			9:00			16:30		
2:00			9:30			17:00		
2:30			10:00			17:30		
3:00			10:30			18:00		
3:30			11:00			18:30		
4:00			11:30			19:00		
4:30			12:00			19:30		
5:00			12:30			20:00		



t min:sec	θ °C PD	θ °C PID	t min:sec	θ °C PD	θ °C PID	t min:sec	θ °C PD	θ °C PID
0:00			5:30			13:00		
0:10			6:00			13:30		
0:20			6:30			14:00		
0:30			7:00			14:30		
0:40			7:30			15:00		
0:50			8:00			15:30		
1:00			8:30			16:00		
1:30			9:00			16:30		
2:00			9:30			17:00		
2:30			10:00			17:30		
3:00			10:30			18:00		
3:30			11:00			18:30		
4:00			11:30			19:00		
4:30			12:00			19:30		
5:00			12:30			20:00		

